


Platon® setting up new extension


- 1) Enter VoIP Users module under “PBX” section



- 2) Click “Add User” (located on top of screen)

User List		Add User	User Status					Edit	Delete
Name	Extension	Snom MAC Addr.	Call Group	Pickup Group	Enabled		Edit	Delete	
Catherine	801	000413915028	1	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Edit Delete	
Manida	802	00041384412D	1	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Edit Delete	
Michael FIMFRT	803	0004138B19B2	1	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Edit Delete	

- 3) Input mandatory fields including: “Name”, “User’s Password”, “Extension/Username”, VoIP Password”
 Enable “Show in Directory”, “SIP Enabeld”, and “Voicemail Enabled”
 (Please refer to Appendix A for further details about each field/options)




The 'Add User' form contains the following fields and options:

- Name: Tom
- E-Mail: (empty)
- User's Password [?]: (masked with dots)
- Extension/Username: 100
- VoIP Password [?]: (masked with dots)
- Outbound number: 123456789
- Show in Directory: (indicated by a red arrow)
- SIP Enabled: (indicated by a red arrow)
- IAX2 Enabled:
- H.323 Enabled:
- Voicemail Enabled: (indicated by a red arrow)
- Web Interface Enabled:

Buttons: Submit, Cancel

(*) For security reasons, the input value for “VoIP Password” must have characters and number.


- 4) Enable the “IP Phone Provisioning” option and input the IP Phone MAC Address within the “IP Phone Provisioning” section.



The 'IP Phone Provisioning' section shows the following configuration:

- IP Phone Provisioning:
- Phone MAC Addr: (input field containing a MAC address)
- Buttons: Submit, Cancel

5) (Optional) If “Voicemail Enabled” is checked, please setup “Voicemail” sub-section will be expanded and detailed settings can be configured



VoiceMail Password : Password for this voice mailbox, can be same as User’s Password setup in earlier section, or specify a different password

Attach in e-mail : Attach voice message in .wav format in e-mail if enabled (Requires E-mail Address setup in earlier section)

Announce CallerID : Announce Caller-ID for the caller before each message is played

Announce Date/Time : Announce Date and Time of the message left before each message is played

Annount Message Duration : Announce message duration of the message before each message is played

Max. messages per folder : Maximum number of message allowed to store in each folder

(Notice: if number of message has reached the maximum allowed limit, no more new message can be left on that mail box, all existing message will be kept)

6) Click any “Submit” button within the page to create the extension.

Appendix A – VoIP Users Settings

Name : Name of the User (to be shown on each Phone and Directory list)

E-mail : Optional, Voice Mail notifications will be sent to this e-mail if entered

User’s Password : To be used in Voice Mail, Web Login, Remote Call Forward and Virtual Extension (if feature available)

Extension/Username : Extension number for this user, also used as login user name for IP phone or VOIP software and Web Interface Login

VoIP Password : Used as login password for IP Phone or VOIP software

Show in Directory : User will be shown in phone directory if checked

SIP Enabled : SIP VoIP service will be enabled if checked, SIP standard is widely used in most VoIP Software

IAX2 Enabled : IAX VoIP Service will be enabled if checked, IAX standard is widely used in most IP PBX System

H.323 Enabled : H.323 VoIP Service will be enabled if checked, H.323 standard is old fashioned VOIP service used in early VoIP hardware

Voicemail Enabled : Voice Mail feature will be enabled if checked

Web Interface Enabled : Allows user to login to this web interface if checked

-- End --